

Innovate or Die Verdant.

For us, cycling is above all one thing: Passion. Glide carefree across the road or drive dynamically off paved roads – our Verdant bikes allow you maximum riding pleasure and freedom. The innovative drive concepts create a feeling of tailwind that constantly drives you forward. So every tour will be an experience and you will arrive relaxed at your destination.

Passion for the development of high-quality e-bikes and an eye for innovations in all components and details also make up the core of Verdant brand. Because every rider has different preferences and needs and we want to provide every biker type with the right companion on two tires.



www.nneworld.com

Illustrations similar. Errors and technical changes excepted. Stand: August 2022

Models 2021

OVERVIEW

Verdant eSONIC 20 (NEW)	4
Verdant eSONIC 24 (NEW)	5
Verdant ENTICE (NEW)	7
Verdant RX450 (NEW)	9
Verdant SWING	
Verdant RX630EQ (NEW)	14
Verdant eXPLORE(NEW)	15
Verdant RX500 (NEW)	16
Verdant RX720 (NEW)	17
Verdant NYTRO (NEW)	18
Verdant VOLT (NEW)	19
Verdant MOMENTUM (NEW)	20
Verdant NAVIGATOR (NEW)	21
Verdant CITYMAXX(NEW)	22
Verdant eLECTRON (NEW)	23
Verdant EX1 (NEW)	



The Sporty **Shimano Tourney 7**-Speed derailleur guarantees dynamic driving, precise alignment and fast gear changes.





- **STAR UNION HM2502 Rearmotor** for even more torque.
- Verdant LCF Rigid Fork w/ Broader Blades



Colours:



graphite-green/grey-matt



grey/orange-matt

Equipment eSONIC 20:

Frame	Hi-Tensile Steel, painted	Tyres	HARTEX Razor 62-406 Tyres	Drive	STAR UNION HM250232 Nm Torque Rearmotor
Suspension Fork	Verdant LCF Rigid Fork, especially designed for E-Bikes	Brake	Disc Brakes, JAK8, 160 mm front / 160 mm rear	Battery Type	Speevo 150Wh 24V Panasonic Cells
Rim	Speevo	Saddle	Selle Mio	Display	TOPOLOGY DZ39 LED
Shifting	Shimano Tourney 7-Speed Derailleur	RH	15	Charger	Speevo 29.4V 2A Smart Charger

The Sporty **Shimano Tourney 7**-Speed derailleur guarantees dynamic driving, precise alignment and fast gear changes.





- **AKM 95RX Rearmotor** for even more torque.
- Orbi Shox SKATE 28 Suspension



Colours:



graphite-green/grey-matt



grey/orange-matt

Equipment eSONIC 24:

Frame	Aluminum 6061, painted	Tyres	HARTEX Razor 62-507 Tyres	Drive	AKM 95RX 42 Nm Torque Rearmotor
Suspension Fork	Orbi Shox SKATE 28 Fork, especially designed for E-Bikes	Brake	Disc Brakes, JAK8, 160 mm front / 160 mm rear	Battery Type	Speevo 378Wh 36V Panasonic Cells
Rim	Speevo	Saddle	Selle Mio	Display	TOPOLOGY DZ41 LED
Shifting	Shimano Tourney 7-Speed Derailleur	RH	16	Charger	Speevo 42V 2A Smart Charger




Verdant **ENTICE**



Out into Nature.

For all those who prefer to be out in nature than to drive on roads, there is now a novelty from Verdant. With the Verdant ENTICE, another innovative e-bike model is presented among city bikes.

Thanks to its robust frame, sporty components and the Bafang Performance rear-engine, it becomes the ideal bike for a city bike tour. A special novelty on this bike - the CAN-BUS E-System. The Speevo EnergyTube battery was skilfully integrated into the down tube, which the e-bike does not recognize as such at first glance.

















Satelite Front Light with 30 LUX & Integrated Horn StVZO Approved





Colours:



dark grey/orange - shiny



blue/grey -matt



dark grey/red-matt

Equipment ENTICE:

Frame	Hi-Tensile Steel, painted	Tyres	Hartex Extra Action 27.5" x 2.10"	Drive	Bafang Performance G010 Rear Motor 32 Nm Torque
Suspension Fork	Orbi Shox, SKATE 38	Brakes	Disc Brake, JAK8, 160 mm front / 160 mm rear	Battery Type	Speevo EnergyTube- Panasonic 36V Battery Integrated in the Frame
Rim	Speevo Alloy	Saddle	Selle Mio NB-735	Display	LCD w/ Speed Indication
Shifting	Microshift M21L 7 Speed Derailleur	RH	17/19/21	Charger	Speevo Smart Charger 42V 2A









Colours:



dark grey/orange - shiny



blue/grey-matt



dark grey/red-matt

BAFANG Performance G010 Rearmotor

The Verdant ENTICE is equipped with the powerful Bafang Performance G010 Rearmotor - the perfect motor for weekend uphill sprints. The finely balanced system offers a high pedaling power support and thus ensures a noticeably high pulling force. The drive of the Performance G010 starts from the start in a sporty and dynamic way - making every tour a pure driving pleasure.



Range Extender System Detachable Double Battery System for

2X Performance (Extending Range on the go!)









- CAN-BUS Protocol for smooth integration of E-System, Reliable Performance, Meets Global Standards EN15194:2017
- Spanninga AXENDO 80 Front light with 80 LUX StVZO Approved
- Nano Guardian Anti Dust & Anti Viral Coating ISO 21702:2019 Certified



Colours:



dark grey/red-matt



blue/black - matt



black/grey-shiny

Equipment RX450:

Frame	Hi-Tensile Steel, painted	Tyres	Hartex Extra Action 29" x 2.40"	Drive	AKM Performance 95RX+ 48 Nm Torque Rearmotor
Suspension Fork	Orbi Shox SKATE 38, with Lockout	Brakes	Disc Brake, Tektro MD- M300, 160 mm front / 160 mm rear	Battery Type I	Speevo EnergyTube Panasonic 18650 Cell 250 Wh CAN-BUS (In Tube)
Rims	Mach1	Saddle	Selle Mio Sillaro 7300	Battery Type II	Speevo Range Extender Panasonic 18650 Cell 250 Wh CAN-BUS (Detachable)
Shifting	Microshift M21L 7-Speed Derailleur	RH	18/19	Display	Topology OLED CAN-BUS w/ Remaining Range on Display



Farben Herren:







AKM Performance Rearmotor

With this drive unit you can relax and enjoy your surroundings. Thanks to dynamic yet harmonious acceleration, this quiet AKM engine gives you a natural driving experience. Explore the city at up to 25 km/h or go on small tours in the surrounding area – the support of this unit is perfect for such excursions.






Verdant **SWING**



Convincingly Simple.

The Verdant SWING is a perfect entry-level model in the rear-engine class. The battery pack is fully integrated into the modern SWING frame. This way, the battery does not interfere with passage and at the same time provides a neat finish of E-System integration. This design will delight you with an optimal balance and excellent handling when driving.


The new 95RX city drive concept from AKM provides a tailwind on demand in all driving situations. The separate control unit for the on-board computer can be easily reached with your thumb without taking your hand off the handlebars. Proven components from Shimano round off the harmonious overall package of this durable and reliable city e-bike.













AKM Performance 95RX Rear Engine for a comfortable & reliable performance



Step Through Frame Design for City Tour Rides





Colours:



grey/orange-matt



dark grey/red-matt

Equipment SWING:

Frame	Hi-Tensile Steel, painted	Tyres	Hartex Extra Action 27.5 x 2.10"	Drive	AKM 95SX Rear Motor 42 Nm Torque
Suspension Fork	Orbi Shox SKATE 38, 80 mm Travel	Brake	Disc Brake, JAK7, 160 mm front / 160 mm rear	Battery Type I	Speevo EnergyTube 228 Wh, Panasonic 36V Integrated in Frame
Rim	Mach1	Saddle	Selle Mio NB-735	Battery Type II	Speevo EnergyTube 250 Wh, Panasonic 36V Integrated in Frame
Shifting	Shimano Tourney 7-Speed Derailleur	RH	15/17/19	Display	King Meter Digital II



Verdant RX630 EQ



Simply on the go.

The new Verdant **RX630 EQ** is the perfect companion for your tour to the city or the next small excursion. As a low-level beginner, it ensures a pleasant ascent. The new visual and technical highlight is the **Speevo EnergyTube** battery, which has been completely integrated into the frame and thus appears almost invisible to the outside.


The Performance M420 mid-engine from **Bafang** takes you quickly and easily to your destination, ensuring a high level of comfort on every journey. The CAN-BUS system of the new Verdant **RX630 EQ** is easy & clear to operate with on-board computer.













Bafang Performance M420 System, for quick performance and good ride quality





Colours:



lime green/black - matt



dark grey-matt



white/petrol-matt


Equipment RX630EQ:

Frame	Aluminium 6061,700C, painted	Tyres	WTB Riddler 44-622 Tri Tec E25	Drive	Bafang Performance Mid Drive M420
Suspension Fork	Orbi Shox SKATE CITY 28, especially for E-Bikes	Brakes	Disc Brake, Tektro HD- T280, 180 mm front / 180 mm rear	Battery Type	630Wh 36V (Detachable Battery)
Rim	Mach1	Saddle	SELLE Italia	Display	Bafang DP C191.CAN LCD Display
Shifting	Shimano Nexus 7 Speed	RH	19/21	Front Light	Spanninga KENDO+ StVZO approved









Hentach Performance C Type, for quick performance and good ride quality





Colours:



lime green/black - matt



dark grey-matt



white/petrol-matt


Equipment eXPLORE:

Frame	Aluminium 6061,27.5", painted	Tyres	WTB Groov-E 44-622 Tri Tec E25	Drive	HENTACH C Type Rear Motor
Suspension Fork	Orbi Shox ZABUTON 3.8, especially for E-Bikes	Brakes	Disc Brake, Tektro HD- T280, 180 mm front / 180 mm rear	Battery Type	720Wh 36V (Detachable Battery)
Rim	Mach1	Saddle	SELLE Italia	Display	King Meter K5250 LCD Display
Shifting	Shimano Acera 8 Speed	RH	19/21	Front Light	Spanninga Calip Front











Bafang Performance M510 System, for quick performance and good ride quality





Colours:



lime green/black - matt



dark grey-matt



white/petrol-matt


Equipment RX720:

Frame	Aluminium 6061,27.5", painted	Tyres	Ralson eTUNE 55-584	Drive	Bafang Performance Mid Drive M510
Suspension Fork	Orbi Shox VAYU 32, especially for E-Bikes	Brakes	Disc Brake, Shimano HD- M4100, 180 mm front /180 mm rear	Battery Type	500Wh 36V (Detachable Battery)
Rim	Mach1 Cross R-27	Saddle	SELLE Italia	Display	Bafang DP C241.CAN LCD Display
Shifting	Shimano Alivio 9 Speed	RH	19/21	Front Light	Satelite C10











Bafang Performance M510 System, for quick performance and good ride quality





Colours:



lime green/black - matt



dark grey-matt



white/petrol-matt


Equipment RX720:

Frame	Aluminium 6061,27.5", painted	Tyres	WTB Intersector 55-584 Tri Tec E25	Drive	Bafang Performance Mid Drive M510
Suspension Fork	Orbi Shox VAYU 32, especially for E-Bikes	Brakes	Disc Brake, Shimano HD- M4100, 180 mm front /180 mm rear	Battery Type	720Wh 36V (Detachable Battery)
Rim	Mach1 Cross R-27	Saddle	SELLE Italia	Display	Bafang DP C241.CAN LCD Display
Shifting	Shimano Alivio 9 Speed	RH	19/21	Front Light	Satelite C11











AKM Performance 95RX+ System, for quick performance and good ride quality





Colours:



lime green/black - matt



dark grey-matt



white/petrol-matt


Equipment NYTRO:

Frame	Aluminium 6061,27.5", painted	Tyres	WTB Trail Boss 55-584 Tri Tec E25	Drive	AKM Performance 95RX+ 48Nm Torque
Suspension Fork	Orbi Shox VAYU 32 , especially for E-Bikes	Brakes	Disc Brake, Shimano HD- M4100, 180 mm front /180 mm rear	Battery Type	720Wh 36V (Detachable Battery)
Rim	Mach1 Cross R-27	Saddle	SELLE Italia	Display	KEY DISP KD586 LCD Display
Shifting	Shimano Alivio 9 Speed	RH	19/21	Front Light	Satelite C13











Bafang Performance G010 Rearmotor, for quick performance and good ride quality





Colours:



lime green/black - matt



dark grey-matt



white/petrol-matt


Equipment VOLT:

Frame	Aluminum 6061, 27.5", painted	Tyres	HARTEX, Urban Ride 27.5" x 2.40" w/ Reflective strip	Drive	BAFANG Performance G010 Rearmotor 32Nm Torque
Suspension Fork	Orbi Shox Alloy RX-E5, especially for E-Bikes	Brakes	Disc Brake, Tektro, 180 mm front /180 mm rear	Battery Type	Speevo 570Wh 36V (Detachable Battery)
Rim	Mach1	Saddle	Selle Mio NB-375	Display	Bafang DP C191 LCD Display
Shifting	Shimano ALTUS 7 Speed Derailleur	RH	19/21	Front Light	Satelite C7 Plus (60 LUX) StVZO approved











HENTACH Performance C Type Rearmotor, for quick performance and good ride quality





Colours:



lime green/black - matt



dark grey-matt



white/petrol-matt


Equipment MOMENTUM:

Frame	Aluminum 6061, 700C, painted	Tyres	WTB, GROOV-E 62-584 w/ Reflective strip	Drive	HENTACH Performance CType Rearmotor 45Nm Torque
Suspension Fork	Orbi Shox SKATE CITY 28, especially for E-Bikes	Brakes	Disc Brake, Tektro, 180 mm front /180 mm rear	Battery Type	Speevo 630Wh 36V (Detachable Battery)
Rim	Mach1 Cross R-27	Saddle	Selle Italia	Display	TC618 LCD Display
Shifting	Shimano ACERA 8 Speed Derailleur	RH	19/21	Front Light	Spanninga Calip Front















Colours:



lime green/black - matt



dark grey-matt



white/petrol-matt


Equipment NAVIGATOR:

Frame	Aluminum 6061, 700C, painted	Tyres	WTB, Riddler 44-622 w/ Reflective strip	Drive	BAFANG Performance G020 Rearmotor 45Nm Torque
Suspension Fork	Orbi Shox SKATE City 28, especially for E-Bikes	Brakes	Disc Brake, Tektro, 180 mm front / 180 mm rear	Battery Type	Speevo 378Wh 36V (Detachable Battery)
Rim	Mach1 Gravel 19	Saddle	Selle Italia S3 Flow	Display	Bafang DP E171 Display
Shifting	Shimano ALTUS 8 Speed Derailleur	RH	19/21	Front Light	LightSkin LED Handlebar StVZO approved















Equipment CITY MAXX:


Frame	Aluminum 6061, 700C, painted	Tyres	HARTEX, Urban Ride 54- 622 w/ Reflective strip	Drive	HENTACH V Type Rearmotor 38Nm Torque
Suspension Fork	VERDANT LCF 700	Brakes	Disc Brake, Tektro, 180 mm front / 180 mm rear	Battery Type	Speevo 630Wh 36V (Detachable Battery)
Rim	Mach1 690	Saddle	WITTKOP Cappuccino	Display	KING METER Digital II Display
Shifting	Shimano ALTUS 8 Speed Derailleur	RH	19/21	Front Light	LightSkin LED Handlebar StVZO approved















Colours:



lime green/black - matt



dark grey-matt



white/petrol-matt

Equipment eLECTRON:

Frame	Aluminum 6061, 27.5", painted	Tyres	RALSON, eTUNE 27.5" x 2.10" w/ Reflective Strip	Drive	AKM Performance 95RX+ Rearmotor 48Nm Torque
Suspension Fork	Orbi Shox SKATE 28, especially for E-Bikes	Brakes	Disc Brake, Tektro, 180 mm front /180 mm rear	Battery Type	Speevo 378Wh 36V (Non Detachable Battery)
Rim	Mach1	Saddle	Selle Mio	Display	Topology DZ41 LCD Display
Shifting	Shimano TOURNEY7 Speed Derailleur	RH	19/21	Front Light	Satelite C7 Plus (60 LUX) StVZO approved

The Sporty Shimano Altus 7-Speed derailleur guarantees dynamic driving, precise alignment and fast gear changes.





- **AKM Performance 85SX Rearmotor** for even more torque.
- Verdant LCF Rigid Fork w/ Broader Blades



Equipment EX1:

Frame	Aluminum 6061, painted	Tyres	Ralson Vector 700C x 38C Anti Puncture Tyres	Drive	AKM Performance 85SX 42 Nm Torque Rearmotor
Suspension Fork	Speevo XR Rigid Fork, especially designed for E-Bikes	Brake	Disc Brakes, Tektro, 160 mm front / 160 mm rear	Battery Type	Speevo 250Wh 36V Panasonic Cells
Rim	Mach1	Saddle	Selle Mio	Display	King Meter Digital II LCD
Shifting	Shimano Altus 7-Speed Derailleur	RH	19/21	Front Light	Spanninga AXENDO 40

